

## EAST Search History

| Ref # | Hits   | Search Query   | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|--------|--|---|------------------|---------|------------------|
| L1    | 5      | ((("6479153") or ("6610774"))).PN.   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | OFF     | 2006/06/22 19:06 |
| L2    | 0      | 2000-17034   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 19:06 |
| L3    | 3      | "200017034"  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 19:07 |
| L4    | 3      | "2000017034"   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 19:07 |
| L5    | 423660 | acrylate acylic methacrylate<br>methacrylic  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 19:11 |
| L6    | 530749 | ethyleneoxide "ethylene oxide" eo<br>polyethyleneoxide "polyethylene<br>oxide" peg "polyethylene glycol" | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 19:24 |
| L7    | 16159  | 5 adj15 6  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 19:24 |
| L8    | 15709  | 6 adj15 5  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 19:38 |
| L9    | 23585  | 7 8  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 19:38 |

## EAST Search History

|     |         |  |   |    |    |                  |
|-----|---------|--|---|----|----|------------------|
| L10 | 4498510 | water aqueous  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/06/22 19:38 |
| L11 | 516926  | polyisocyanate polyurethane<br>diisocyanate urethane | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/06/22 19:39 |
| L12 | 11148   | 9 and 10 and 11                                      | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/06/22 19:39 |
| L13 | 133684  | leather suede  | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/06/22 19:40 |

Day : Thursday  
Date: 6/22/2006

Time: 18:53:14



**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = KATO

First Name = MITSURU

| Application#    | Patent#        | Status | Date Filed | Title  | Inventor Name |
|-----------------|----------------|--------|------------|--|---------------|
| <u>06101006</u> | <u>4319721</u> | 150    | 12/06/1979 | SAFETY BELT RETRACTOR  | KATO, MITSURU |
| <u>06593843</u> | <u>4560115</u> | 150    | 03/27/1984 | EMERGENCY LOCK SAFETY BELT RETRACTOR WITH LOCK-UP RELEASE MECHANISM                    | KATO, MITSURU |
| <u>07525972</u> | <u>5109693</u> | 150    | 05/18/1990 | THERMALLY STABILIZED ACCELEROMETER   | KATO, MITSURU |
| <u>07782548</u> | <u>5322901</u> | 150    | 10/25/1991 | RESIN OR RUBBER COMPOSITION HAVING GOOD HEAT SHRINKABILITY                             | KATO, MITSURU |
| <u>09233047</u> | <u>6156840</u> | 150    | 01/19/1999 | METHOD FOR PRODUCING AQUEOUS EMULSION OF POLYURETHANE                                  | KATO, MITSURU |
| <u>09330062</u> | <u>6322851</u> | 150    | 06/11/1999 | MANUFACTURING PROCESS FOR LEATHER-LIKE SHEET   | KATO, MITSURU |
| <u>09482613</u> | <u>6191508</u> | 150    | 01/14/2000 | Stator insulation structure of rotary electric machine                                 | KATO, MITSURU |
| <u>09482959</u> | <u>6403921</u> | 150    | 01/14/2000 | METHOD AND APPAARATUS FOR WELDING A PLURALITY OF WINDINGS OF ROTARY ELECTRIC MACHINE   | KATO, MITSURU |
| <u>09536718</u> | <u>6479153</u> | 150    | 03/28/2000 | PROCESS FOR PRODUCING A LEATHER-LIKE SHEET   | KATO, MITSURU |
| <u>09538983</u> | <u>6490779</u> | 150    | 03/30/2000 | METHOD FOR MANUFACTURING ROTARY ELECTRIC SYSTEM  | KATO, MITSURU |
| <u>09893891</u> | <u>6610774</u> | 150    | 06/29/2001 | AQUEOUS DISPERSION   | KATO, MITSURU |
| <u>10059410</u> | Not Issued     | 161    | 01/31/2002 | Aqueous resin composition, and method of manufacturing a separable fastener using this | KATO, MITSURU |

|                            |                |     |            | composition  |               |
|----------------------------|----------------|-----|------------|--|---------------|
| <u>10263695</u>            | <u>6698083</u> | 150 | 10/04/2002 | METHOD FOR MANUFACTURING ROTARY ELECTRIC MACHINE   | KATO, MITSURU |
| <u>10328148</u>            | <u>6862796</u> | 150 | 12/26/2002 | A MEHOD FOR MANUFACTURING AN ELECTRIC ROTARY   | KATO, MITSURU |
| <u>10341394</u>            | <u>6897594</u> | 150 | 01/14/2003 | STATOR FOR A VEHICULAR ROTARY ELECTRIC MACHINE AND A MANUFACTURING METHOD THEREOF                  | KATO, MITSURU |
| <u>10359728</u>            | <u>6834422</u> | 150 | 02/07/2003 | METHOD OF FORMING STATOR WINDING OF ROTARY ELECTRIC MACHINE  | KATO, MITSURU |
| <u>10368402</u>            | <u>6930425</u> | 150 | 02/20/2003 | ROTARY ELECTRIC MACHINE STATOR AND METHOD OF MANUFACTURING THE SAME                                | KATO, MITSURU |
| <u>10372782</u>            | <u>6971153</u> | 150 | 02/26/2003 | METHOD OF MANUFACTURING WINDING OF ROTARY ELECTRIC MACHINE   | KATO, MITSURU |
| <u>10387475</u>            | <u>6903478</u> | 150 | 03/14/2003 | WINDING FOR ELECTRIC ROTATING MACHINE AND MANUFACTURING METHOD FOR THE SAME                        | KATO, MITSURU |
| <u>10445885</u>            | <u>6903479</u> | 150 | 05/28/2003 | METHOD OF MANUFACTURING STATOR WINDING OF ROTARY ELECTRIC MACHINE                                  | KATO, MITSURU |
| <u>10462715</u>            | <u>7032291</u> | 150 | 06/17/2003 | METHOD OF MANUFACTURING STATOR WINDING OF ROTARY ELECTRIC MACHINE                                  | KATO, MITSURU |
| <del><u>10633571</u></del> | Not Issued     | 71  | 08/05/2003 | ARTIFICIAL LEATHER AND METHOD OF PRODUCING THE SAME  | KATO, MITSURU |
| <del><u>10670212</u></del> | Not Issued     | 41  | 09/26/2003 | Suede artificial leather and production method thereof   | KATO, MITSURU |
| <del><u>10671455</u></del> | Not Issued     | 61  | 09/29/2003 | Aqueous resin composition, and method of manufacturing a separable fastener using this composition | KATO, MITSURU |

|                 |                |     |            |   |                |
|-----------------|----------------|-----|------------|---|----------------|
| <u>11026034</u> | <u>7034429</u> | 150 | 01/03/2005 | STATOR FOR VEHICULAR<br>ROTARY ELECTRIC<br>MACHINE AND A<br>MANUFACTURING METHOD<br>THEREOF                       | KATO, MITSURU  |
| <u>11117438</u> | Not<br>Issued  | 71  | 04/29/2005 | Method of manufacturing stator<br>winding of rotary electric machine  | KATO, MITSURU  |
| <u>11135445</u> | Not<br>Issued  | 20  | 05/24/2005 | Stator for a vehicular rotary<br>electric machine and a<br>manufacturing method thereof                           | KATO, MITSURU  |
| <u>11151226</u> | Not<br>Issued  | 20  | 06/14/2005 | Rotary electric machine stator and<br>method of manufacturing the same  | KATO, MITSURU  |
| <u>06869003</u> | <u>4763072</u> | 150 | 05/30/1986 | MAGNETIC AZIMUTH<br>DETECTOR  | KATOH, MITSURU |
| <u>07767142</u> | <u>5200727</u> | 250 | 09/27/1991 | FORCE GENERATING<br>APPARATUS   | KATOH, MITSURU |
| <u>09620906</u> | <u>6459177</u> | 150 | 07/20/2000 | ELECTRIC ROTARY<br>MACHINE HAVING A<br>PLURALITY OF CONDUCTOR<br>SEGMENTS AND METHOD OF<br>MANUFACTURING THE SAME | KATOH, MITSURU |
| <u>10323972</u> | <u>6938323</u> | 150 | 12/20/2002 | METHOD OF<br>MANUFACTURING STATOR<br>COIL OF ROTARY ELECTRIC<br>MACHINE   | KATOU, MITSURU |
| <u>10323973</u> | <u>6674211</u> | 150 | 12/20/2002 | ROTARY ELECTRIC<br>MACHINE HAVING<br>CONDUCTORS INSULATED<br>BY INSULATION SLEEVE<br>INSERTED INTO CORE SLOT      | KATOU, MITSURU |

Inventor Search Completed: No Records to Display.

|                          |                                   |                                      |                                       |
|--------------------------|-----------------------------------|--------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name                         | First Name                           | <input type="button" value="Search"/> |
|                          | <input type="text" value="kato"/> | <input type="text" value="mitsuru"/> |                                       |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Thursday  
Date: 6/22/2006

Time: 18:53:28



**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = NAKAYAMA

First Name = KIMIO

| Application#             | Patent#                 | Status | Date Filed | Title   | Inventor Name   |
|--------------------------|-------------------------|--------|------------|---|-----------------|
| <a href="#">06439176</a> | Not Issued              | 166    | 11/04/1982 | FIBER-REINFORCED RUBBER COMPOSITION AND PRODUCTION PROCESS THEREOF AND FIBER-REINFORCED ELASTIC PRODUCT | NAKAYAMA, KIMIO |
| <a href="#">06788524</a> | <a href="#">4703086</a> | 150    | 10/21/1985 | FIBER-REINFORCED RUBBER COMPOSITION AND PRODUCTION PROCESS THEREOF AND FIBER-REINFORCED ELASTIC PRODUCT | NAKAYAMA, KIMIO |
| <a href="#">07045536</a> | <a href="#">5043388</a> | 150    | 05/04/1987 | FIBER-REINFORCED RUBBER COMPOSITION AND PRODUCTION PROCESS THEREOF AND FIBER-REINFORCED ELASTIC PRODUCT | NAKAYAMA, KIMIO |
| <a href="#">07717572</a> | <a href="#">5283289</a> | 250    | 06/19/1991 | FIBER-REINFORCED RUBBER COMPOSITION AND PRODUCTION PROCESS THEREOF AND FIBER-REINFORCED ELASTIC PRODUCT | NAKAYAMA, KIMIO |
| <a href="#">07936735</a> | Not Issued              | 161    | 08/31/1992 | POLYMERIC POROUS MEMBRANE   | NAKAYAMA, KIMIO |
| <a href="#">08356318</a> | <a href="#">5688890</a> | 150    | 12/29/1994 | THERMOPLASTIC POLYURETHANE COMPOSITION  | NAKAYAMA, KIMIO |
| <a href="#">08558779</a> | <a href="#">5606005</a> | 250    | 11/16/1995 | POLYURETHANE AND MOLDED ARTICLE COMPRISING THE SAME   | NAKAYAMA, KIMIO |
| <a href="#">08652131</a> | <a href="#">5780573</a> | 150    | 05/23/1996 | THERMOPLASTIC POLYURETHANES AND   | NAKAYAMA, KIMIO |

|                 |                |     |            |   |                    |
|-----------------|----------------|-----|------------|---|--------------------|
|                 |                |     |            | MOLDED ARTICLES<br>COMPRISING THEM  |                    |
| <u>09033653</u> | <u>5912193</u> | 150 | 03/03/1998 | THERMOPLASTIC<br>POLYURETHANES AND<br>MOLDED ARTICLES<br>COMPRISING THEM  | NAKAYAMA,<br>KIMIO |
| <u>09167604</u> | Not<br>Issued  | 164 | 10/07/1998 | GRID ASSEMBLY OF A<br>NUCLEAR REACTOR FUEL<br>ASSEMBLY AND METHOD<br>FOR FABRICATING SAME   | NAKAYAMA,<br>KIMIO |
| <u>09476084</u> | <u>6339205</u> | 150 | 01/03/2000 | GRID SUPPORT WELDING<br>APPARATUS   | NAKAYAMA,<br>KIMIO |
| <u>09492275</u> | <u>6429403</u> | 150 | 01/27/2000 | SUPPORTING-GRID<br>WELDING APPARATUS  | NAKAYAMA,<br>KIMIO |
| <u>09610222</u> | <u>6767853</u> | 150 | 07/03/2000 | FIBROUS SUBSTRATE FOR<br>ARTIFICIAL LEATHER AND<br>ARTIFICIAL LEATHER<br>USING THE SAME   | NAKAYAMA,<br>KIMIO |
| <u>10199104</u> | <u>6901128</u> | 150 | 07/22/2002 | FOREIGN-MATTER FILTER<br>FOR FUEL ASSEMBLY IN<br>PRESSURIZED WATER<br>REACTOR   | NAKAYAMA,<br>KIMIO |
| <u>10201351</u> | <u>6565962</u> | 150 | 07/22/2002 | POLYIMIDE POROUS FILM   | NAKAYAMA,<br>KIMIO |
| <u>10287505</u> | <u>6909766</u> | 150 | 11/05/2002 | PRODUCTION METHOD FOR<br>A NUCLEAR FUEL<br>ASSEMBLY SUPPORT GRID<br>AND A NUCLEAR FUEL<br>ASSEMBLY SUPPORT GRID<br>PRODUCED BY THE SAME | NAKAYAMA,<br>KIMIO |
| <u>10534586</u> | Not<br>Issued  | 30  | 05/11/2005 | Cosmetic composition  | NAKAYAMA,<br>KIMIO |
| <u>10633571</u> | Not<br>Issued  | 71  | 08/05/2003 | ARTIFICIAL LEATHER AND<br>METHOD OF PRODUCING<br>THE SAME   | NAKAYAMA,<br>KIMIO |
| <u>10670212</u> | Not<br>Issued  | 41  | 09/26/2003 | Suede artificial leather and<br>production method thereof   | NAKAYAMA,<br>KIMIO |
| <u>10928111</u> | Not<br>Issued  | 41  | 08/30/2004 | Foreign matter filter for fuel<br>assembly in pressurized water<br>reactor  | NAKAYAMA,<br>KIMIO |
| <u>10984981</u> | Not<br>Issued  | 30  | 11/10/2004 | Artificial leather sheet substrate<br>and production method thereof   | NAKAYAMA,<br>KIMIO |

Inventor Search Completed: No Records to Display.

Last Name

First Name

**Search Another: Inventor**

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)



Day : Thursday  
Date: 6/22/2006

Time: 18:53:42

**PALM INTRANET****Inventor Name Search Result**

Your Search was:

Last Name = TAKAOKA

First Name = NOBUO

| Application#        | Patent#    | Status | Date Filed | Title  | Inventor Name  |
|---------------------|------------|--------|------------|--|----------------|
| <u>06180442</u>     | 4382329    | 150    | 08/22/1980 | TUBE INSERTION MACHINE                                 | TAKAOKA, NOBUO |
| <del>10633571</del> | Not Issued | 71     | 08/05/2003 | ARTIFICIAL LEATHER AND METHOD OF PRODUCING THE SAME    | TAKAOKA, NOBUO |
| <del>10670212</del> | Not Issued | 41     | 09/26/2003 | Suede artificial leather and production method thereof | TAKAOKA, NOBUO |

**Inventor Search Completed: No Records to Display.**

**Search Another: Inventor**

|                                       |                                    |
|---------------------------------------|------------------------------------|
| <b>Last Name</b>                      | <b>First Name</b>                  |
| <input type="text" value="takaoka"/>  | <input type="text" value="nobuo"/> |
| <input type="button" value="Search"/> |                                    |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

## EAST Search History

| Ref # | Hits    | Search Query                                    | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|---------|---|---|------------------|---------|------------------|
| L1    | 475605  | polyurethane acrylourethane urethane            | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 20:56 |
| L2    | 4498510 | water aqueous                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 20:56 |
| L3    | 1023146 | vinyl acrylic acrylate methacrylic methacrylate | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 20:57 |
| L4    | 119951  | polyoxyethylene oxyethylene "oxyethylene"       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 20:57 |
| L5    | 3875    | 3 adj15 4                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 20:57 |
| L6    | 3444    | 4 adj15 3                                       | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 20:57 |
| L7    | 5752    | 5 6   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 20:58 |
| L8    | 1851    | 1 and 2 and 7                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 20:58 |
| L9    | 133684  | leather suede                                   | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR               | ON      | 2006/06/22 20:59 |

## EAST Search History

|     |     |         |   |    |    |                  |
|-----|-----|---------|---|----|----|------------------|
| L10 | 110 | 8 and 9 | US-PGPUB;<br>USPAT;<br>USOCR;<br>EPO; JPO;<br>DERWENT | OR | ON | 2006/06/22 20:59 |
|-----|-----|---------|---|----|----|------------------|